

JETTY

100% SOLUTION DYED POLYESTER

BOAT COVERS | BIMINIS | SPRAY DODGERS | UMBRELLAS





A VERSATILE & LIGHTWEIGHT FABRIC DESIGNED FOR MARINE & OUTDOOR APPLICATIONS.

Jetty is engineered with 100% solution dyed polyester. The lightweight construction is ideal for fitted covers that need to be removed and stowed on a regular basis.

Jetty is available in two finishes. Standard Jetty features an impervious waterproof backing and is ideal for countless applications including marine covers, outdoor umbrellas and general-purpose applications. Jetty Plus includes a soft, non-woven backing to avoid rub marks when the cover is subject to wind-flap and movement.



UV STABILISED

Jetty fabrics are UV stabilised which prevents them from fading under intense UV rays. It also increases the textiles' longevity and ensures easy cleaning.



HIGH ABRASION RESISTANCE

Jetty fabrics have a high abrasion resistance, meaning the fabric can withstand the wearing down or rubbing away by means of friction.



EXCELLENT STRENGTH TO WEIGHT RATIO

The strength to weight ratio of a given textile is the strength of the textile divided by the mass.



WATERPROOF

Jetty fabrics are coated with a waterproof finish.



MOULD & MILDEW RESISTANT

Jetty fabrics have been finished with a treatment that provides ease of maintenance by inhibiting mould and mildew growth. It also improves the textiles' longevity and makes for easy cleaning.



PRINTABLE

Sturdy enough to flow through a printer, Jetty is a printable fabric which can be beneficial for commercial applications. (Not including Jetty Plus).



5-YEAR UV WARRANTY

Jetty fabrics are supported with a 5-year warranty. Comprehensive care details are available from Ricky Richards by request.

APPLICATIONS



BOAT COVERS
& HOODING



UMBRELLAS



OTHER COVER
APPLICATIONS



Jetty is engineered with 100% solution-dyed polyester. The lightweight construction is ideal for fitted covers that need to be removed and stowed on a regular basis. Standard Jetty features an impervious waterproof backing.



Tensile Strength (ASTM D4034-09) (Grab method)		Warp: 1750 N/50mm, Weft: 1600 N/50mm	
Tear Strength (ASTM D1424-09) (Falling pendulum method)		Warp: 61N, Weft: 55N	
Roll Length	50m	Nominal Weight	255gsm



Jetty Plus includes a soft, non-woven backing and is available in Black, Charcoal and Navy Blue colours.



Tensile Strength (ASTM D4034-09) (Grab method)		Warp: 1645 N/50mm, Weft: 1465 N/50mm	
Tear Strength (ASTM D1424-09) (Falling pendulum method)		Warp: 64N, Weft: 64N	
Roll Length	30m	Nominal Weight	380gsm

Colour	Jetty 152cm	Jetty 200cm	Jetty Plus 200cm
Black	Available	Available	Available
Charcoal	Available	Available	Available
Light Grey		Available	
Navy Blue		Available	Available
Linen		Available	
White		Available	



Ricky Richards (Sales) Pty. Ltd | ABN 18 000 946 725
1300 RICKYS (1300 742 597)
sales@rickyrichards.com.au
rickyrichards.com.au

JULY 2024

Information contained in this brochure is accurate and based on the latest product information available at the time.
Please be aware that a slight colour difference may occur when using different online devices or when printed.

While Ricky Richards (Sales) P/L makes all efforts to provide accurate information,
we maintain the right to make changes as necessary.



 **JETTY**



 **JETTY+**